EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	83714	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:16
L2	378	"347"/239.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:16
L3	598	"347"/247.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:16
L4	416	"347"/248.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:16
L5	2109	358/1.6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:16
L6	2	"6249306".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L7	2	"20010048460".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L9	18	750418"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L10	2	"5721622".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L11	2	["6249306".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L12	2	"20070046771".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L13	81993	"347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18

L14	19232	position with sensor with beam	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L15	916	L14 and L13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L16	8	L15 and scroll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L17	11	position with sensor with beam and 347/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L18	2105	358/1.6.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L19	20085	(exposure with light with beam) and image	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L20	85	L19 and 347/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L21	370	347/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L22	27	(motor or servo \$3motor) with (beam or laser or light) with exposure and scroll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L23	1632	(motor or servo \$3motor) with (beam or laser or light) with exposure and (scroll\$5 or scan\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L24	1	(motor or servo \$3motor) with (beam or laser or light) with exposure and (scroll\$5 or scan\$5)and L20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L25	402	347/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L26	2	"6624877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L27	2	"20070046771"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18

L28	2	"20010048460".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L29	2	"6249306".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L30	16306	spatial adj light adj modulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L31	19232	position with sensor with beam	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L32	293	spatial adj light adj modulator and L31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L33	20085	(exposure with light with beam) and image	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L34	45	spatial adj light adj modulator and L33 and L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L35	27	(motor or servo \$3motor) with (beam or laser or light) with exposure and scroll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L37	2	"20030222966"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L38	6	"6624877"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18
L39	2	"6624877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/01/08 19:18

1/8/2010 7:30:01 PM

C:\ Documents and Settings\ schacko\ My Documents\ EAST\ Workspaces\ 10577930.wsp